Polymer Bulletin

© Springer-Verlag 1990

Author Index Volume 23 (1990)

Abetz V, Fuller GG, Stadler R: Infrared linear dichroism spectroscopy by a double modulation technique 447
Aklonis JJ, see Kim GY
Alimuniar A, Yarmo MA, Rahman MZAb, Kohjiya S, Ikeda Y, Yamashita S: Metathesis degradation of natural rubber 119
Argüelles-Monal W, Gárciga M, Peniche-Covas C: Study of the stoichiometric polyelectrolyte complex between chitosan and carboxymethyl cellulose 307
Avadhani CV, Wadgaonkar PP, Khisti RS, Gunjikar VG, Vernekar SP: Synthesis and characterization of imide containing diisocyanates and poly(imide-urethane)s therefrom 163

Baile M, Chou YJ, Saam JC: Direct polyesterifcation in aqueous emulsion 251
Bajpai A, see Khandwe M
Bajpai UDN, see Khandwe M
Balogh L, Fábián L, Majoros I, Kelen T: Direct monitoring of cationic polymerization by temperature, conductivity and permittivity measurements 75
Balogh L, see Zsuga M
Barson CA, Bevington JC, Huckerby TN: Reactivities towards the benzoyloxy radical of monomers with beta-methyl groups 323
Bartholin M, Bensemra N, Tran van Hoang, Guyot A: Infrared evidence for the grafting of ester groups on polyvinyl chloride stabilised by Zinc and Calcium stearates 425
Bartholin M, see Mantecon A
Benicewicz BC, see Liepins R
Bensemra N, see Bartholin M
Bevington JC, see Barson CA
Borbély J, see Zsuga M

Calcagno MP, see Contreras JM
Camps M, see Guyot A
Canessa GS, see Rivas BL
Cantow H-J, see Magonov SN
Catoire B, see Guyot A
Cavalheiro LCS, see Coutinho FMB
Chang H-S, see Kang K-S
Chang N-S, see Tsai H-B
Chen Y-C: Charge-discharge characteristics of polyacetylene solid-state batteries 411
Cheng HN: Analysis of NMR triad distribution in ethylene/1-butene copolymers 589
Chiellini E, Galli G, Po R: Chiral liquid-crystalline polymers. XII. New chiral polyesters by chemical modification of a nonmesophasic polymer 397
Chou YJ, see Baile M
Chu K-J, see Kang K-S
Chung IJ, see Hyun HS
Contreras JM, Moreno P, Calcagno MP, López F, Rabagliati FM: Epichlorohydrin polymerization using diphenylzinc-cocatalyst systems in benzene solution 483
Costea E, see Vasile C
Coutinho FMB, Cavalheiro LCS: Comparative reactivities of hydroxylated polybutadienes with isocyanate in nitrobenzene 341
Cristobal LV, Gilberto A.,PM: Unsaturated polyesters. 2. Polyester from maleic anhydride and 1,3-propylene glycol 577

Delporte M, see Janus L
Dick RWR, see Hedmark PG
Diele S, see Kuschel F
Domaratius F, see Fedtke M
Donnet J-B, see Magonov SN
Douglas JF, see Gaylord RJ

El-Khodary A, see Migahed MD
Epple U, see Percec V

Fábián L, see Balogh L
Faust R, see Féhervári AF
Fedtke M, Domaratius F, Pfitzmann A: Curing of epoxy resins with dicyandiamide. Reaction behaviour of glycidyl ethers 381
Féhervári AF, Faust R, Kennedy JP: Retraction of the claim of ring expansion polymerization of isobutylene 525
Fujimoto N, see Hatada K
Fujimoto N, see Kitayama T
Fujiwara H, Goto K: Mechanochemical block copolymerization of poly(vinyl chloride) with methyl methacrylate by ultrasonic irradiation 27
Fuller GG, see Abetz V

Galli G, see Chiellini E
Gallot Y, see Grubisic-Gallot Z
Gárciga M, see Argüelles-Monal W
Gaylord RJ, Douglas JF: The localisation model of rubber elasticity. II 529
Gedde UW, see Hedmark PG
Gilberto A.,PM, see Cristobal LV
Goethals EJ, see Van Meirvenne D
Goh SH, Lee SY: Miscibility of poly(methoxymethyl methacrylate) and poly(methylthiomethyl methacrylate) with poly(methyl methacrylate) 643
Goh SH, see Ng SC
Goh SH, Siow KS: Miscible blends of poly(N-vinyl pyrrolidone) with some hydroxyl-containing polymers 205
Goto K, see Fujiwara H
Goudarzian N, see Tamami B
Gronski W, see Kempf S
Grubisic-Gallot Z, Lingelser JP, Gallot Y: Characterization of block copolymers by size exclusion chromatography 389
Gunjikar VG, see Avadhani CV
Guyot A, Revillon A, Camps M, Monthéard J-P, Catoire B: Electron spin resonance measurement of nitroxy probes mobility, attached to a polymer through a spacer arm 419
Guyot A, see Bartholin M

Hafiz HR, see Migahed MD
Hall HK Jr., see Lee J-Y
Hatada K, see Kitayama T
Hatada K, Ute K, Kitayama T, Nishimura T, Kashiyama M, Fujimoto N: Studies on the molecular weight dependence of tacticity of anionically prepared PMMAs by on-line GPC/NMR 549
Hatada K, Ute K, Nishimura T, Kashiyama M, Saito T, Takeuchi M: Stereoregular oligomers of methyl methacrylate. 4. Supercritical fluid chromatography of the isotactic and syndiotactic oligomers of MMA 157

Polymer Bulletin

© Springer-Verlag 1990

Author Index Volume 23 (1990)

Abetz V, Fuller GG, Stadler R: Infrared linear dichroism spectroscopy by a double modulation technique 447
Aklonis JJ, see Kim GY
Alimuniar A, Yarmo MA, Rahman MZAb, Kohjiya S, Ikeda Y, Yamashita S: Metathesis degradation of natural rubber 119
Argüelles-Monal W, Gárciga M, Peniche-Covas C: Study of the stoichiometric polyelectrolyte complex between chitosan and carboxymethyl cellulose 307
Avadhani CV, Wadgaonkar PP, Khisti RS, Gunjikar VG, Vernekar SP: Synthesis and characterization of imide containing diisocyanates and poly(imide-urethane)s therefrom 163

Baile M, Chou YJ, Saam JC: Direct polyesterifcation in aqueous emulsion 251
Bajpai A, see Khandwe M
Bajpai UDN, see Khandwe M
Balogh L, Fábián L, Majoros I, Kelen T: Direct monitoring of cationic polymerization by temperature, conductivity and permittivity measurements 75
Balogh L, see Zsuga M
Barson CA, Bevington JC, Huckerby TN: Reactivities towards the benzoyloxy radical of monomers with beta-methyl groups 323
Bartholin M, Bensemra N, Tran van Hoang, Guyot A: Infrared evidence for the grafting of ester groups on polyvinyl chloride stabilised by Zinc and Calcium stearates 425
Bartholin M, see Mantecon A
Benicewicz BC, see Liepins R
Bensemra N, see Bartholin M
Bevington JC, see Barson CA
Borbély J, see Zsuga M

Calcagno MP, see Contreras JM
Camps M, see Guyot A
Canessa GS, see Rivas BL
Cantow H-J, see Magonov SN
Catoire B, see Guyot A
Cavalheiro LCS, see Coutinho FMB
Chang H-S, see Kang K-S
Chang N-S, see Tsai H-B
Chen Y-C: Charge-discharge characteristics of polyacetylene solid-state batteries 411
Cheng HN: Analysis of NMR triad distribution in ethylene/1-butene copolymers 589
Chiellini E, Galli G, Po R: Chiral liquid-crystalline polymers. XII. New chiral polyesters by chemical modification of a nonmesophasic polymer 397
Chou YJ, see Baile M
Chu K-J, see Kang K-S
Chung IJ, see Hyun HS
Contreras JM, Moreno P, Calcagno MP, López F, Rabagliati FM: Epichlorohydrin polymerization using diphenylzinc-cocatalyst systems in benzene solution 483
Costea E, see Vasile C
Coutinho FMB, Cavalheiro LCS: Comparative reactivities of hydroxylated polybutadienes with isocyanate in nitrobenzene 341
Cristobal LV, Gilberto A.,PM: Unsaturated polyesters. 2. Polyester from maleic anhydride and 1,3-propylene glycol 577

Delporte M, see Janus L
Dick RWR, see Hedmark PG
Diele S, see Kuschel F
Domaratius F, see Fedtke M
Donnet J-B, see Magonov SN
Douglas JF, see Gaylord RJ

El-Khodary A, see Migahed MD
Epple U, see Percec V

Fábián L, see Balogh L
Faust R, see Féhervári AF
Fedtke M, Domaratius F, Pfitzmann A: Curing of epoxy resins with dicyandiamide. Reaction behaviour of glycidyl ethers 381
Féhervári AF, Faust R, Kennedy JP: Retraction of the claim of ring expansion polymerization of isobutylene 525
Fujimoto N, see Hatada K
Fujimoto N, see Kitayama T
Fujiwara H, Goto K: Mechanochemical block copolymerization of poly(vinyl chloride) with methyl methacrylate by ultrasonic irradiation 27
Fuller GG, see Abetz V

Galli G, see Chiellini E
Gallot Y, see Grubisic-Gallot Z
Gárciga M, see Argüelles-Monal W
Gaylord RJ, Douglas JF: The localisation model of rubber elasticity. II 529
Gedde UW, see Hedmark PG
Gilberto A.,PM, see Cristobal LV
Goethals EJ, see Van Meirvenne D
Goh SH, Lee SY: Miscibility of poly(methoxymethyl methacrylate) and poly(methylthiomethyl methacrylate) with poly(methyl methacrylate) 643
Goh SH, see Ng SC
Goh SH, Siow KS: Miscible blends of poly(N-vinyl pyrrolidone) with some hydroxyl-containing polymers 205
Goto K, see Fujiwara H
Goudarzian N, see Tamami B
Gronski W, see Kempf S
Grubisic-Gallot Z, Lingelser JP, Gallot Y: Characterization of block copolymers by size exclusion chromatography 389
Gunjikar VG, see Avadhani CV
Guyot A, Revillon A, Camps M, Monthéard J-P, Catoire B: Electron spin resonance measurement of nitroxy probes mobility, attached to a polymer through a spacer arm 419
Guyot A, see Bartholin M

Hafiz HR, see Migahed MD
Hall HK Jr., see Lee J-Y
Hatada K, see Kitayama T
Hatada K, Ute K, Kitayama T, Nishimura T, Kashiyama M, Fujimoto N: Studies on the molecular weight dependence of tacticity of anionically prepared PMMAs by on-line GPC/NMR 549
Hatada K, Ute K, Nishimura T, Kashiyama M, Saito T, Takeuchi M: Stereoregular oligomers of methyl methacrylate. 4. Supercritical fluid chromatography of the isotactic and syndiotactic oligomers of MMA 157

Haucourt N, see Van Meirvenne D
Hedmark PG, Dick RWR, Gedde UW: Physical ageing in glassy liquid crystalline poly(p-hydroxy-benzoic acid-co-ethylene terephthalate) 83
Higashimura T, see Minoda M
Higashimura T, see Tsuchihara K
Higashimura T, see Ishihama Y
Hisgen B, see Kuschel F
Hosea TJC, see Ng SC
Hsu C-S, see Percec V
Hu AT, see Tsai H-B
Huang B, see Wang J
Huckerby TN, see Barson CA
Hwang JS, Ogawa T: ESR studies of the interaction of propagating radicals with diacetylenes 239
Hyun HS, Chung IJ: Anisotropic properties of aromatic polyamides containing non-rigid rodlike units 623

Ihm S-K, see Kang K-S
Ikeda K, see Kunugi S
Ikeda Y, see Alimuniar A
Ikeda Y, see Kohjiya S
Ilavský M, see Nedbal J
Inagaki K, see Yoshioka N
Inagaki N, see Ohkubo J
Iragorri JI, see Katime IA
Ishihama Y, Sawamoto M, Higashimura T: Living cationic polymerization of styrene by the methanesulfonic acid/tin tetrachloride initiating system in the presence of tetra-n-butylammonium chloride 361
Ivanova B, see Terlemezyan L

Janus L, Tbal H, Delporte M, Morcellet J, Morcellet M: Radical copolymerization of N-vinyl-t-butylcarbamate. Preparation of vinylamine copolymers 13
Jiang B, see Song M
Jiang M, Xiao H, Jin X, Yu T: Interpenetrating polymer networks with controllable intermolecular hydrogen bonding 103
Jin X, see Jiang M

Kang K-S, Chu K-J, Chang H-S, Ihm S-K: Copolymerization kinetics obtained by stopped-flow polymerization 191
Kashiyama M, see Hatada K
Katime IA, Iragorri JI, Sasia P: Preferential adsorption behaviour of several vinyl polymers in poly(ethylene glycol)(1)/THF(2) 455
Kelen T, see Balogh L
Kelen T, see Zsuga M
Kempf S, Gronski W: Conductive radical anion salts of poly(butadiene-b-4-vinylpyridine) blockcopolymers 403
Kennedy GJ: ^{129}Xe NMR as a probe of the effect of crosslinking on the amorphous phase structure of solid polymers 605
Kennedy JP, Kurian J: Living carbocationic polymerization of p-halostyrenes. II. Synthesis of poly(p-chlorostyrene)-b-polytetrahydrofuran 259
Kennedy JP, see Fehérvári AF
Kennedy JP, see Nemes S
Khandwe M, Bajpai A, Bajpai UDN: Coordination polymers of Zn(II) and N,N'-bis (carboxymethyl)dithiooxamide 51
Khisti RS, see Avadhani CV
Kim GY, Salovey R, Aklonis JJ: Model filled polymers. IV. Preparation of conducting composite polymers beads 543
Kim I, Woo SI: Polymerization of propylene by highly active catalysts synthesized with $Mg(OEt)_2$/benzoyl chloride/$TiCl_4$ 35
Kim SC, see Kim SK
Kim SC, see Rhim MS
Kim SK, Kim SC: Polyurethane-polystyrene interpenetrating polymer networks synthesized in the presence of a common solvent 141
Kitayama T, Fujimoto N, Terawaki Y, Hatada K: Stereocomplex formation between isotactic PMMA and syndiotactic polymethacrylates in bulk and in solution 279
Kitayama T, see Hatada K
Klattenhoff D, see Rivas BL
Kohjiya S, see Alimuniar A
Kohjiya S, Takesako S, Ikeda Y, Yamashita S: Ionic conductivity and morphology of complexes formed by polyurethanes and lithium perchlorate 299
Kojima K, Sawamoto M, Higashimura T: Synthesis of block copolymers of p-methoxystyrene and vinyl ethers by the hydrogen iodide/zinc iodide initiating system 149
Kokta BV, Raj RG: Interaction of α-$TiCl_3$ with organoaluminium compounds and its correlation with propylene polymerization. III. Formation of active centers 513
Kokta BV, Raj RG: Interaction of α-$TiCl_3$ with organoaluminium compounds and its correlation with propylene polymerization. IV. Effect of interaction parameters 519
Kolli M, see Monthéard J-P
Kubota T, see Otsu T
Kunugi S, Ikeda K, Nakashima T, Wakabayashi S, Mizutani F: Enzyme electrode based on gold-plated polyester cloth. I.Preparation of glucose oxidase electrode which exchanges electron with electrode 57
Kurian J, see Kennedy JP
Kuschel F, Mädicke A, Diele S, Utschick H, Hisgen B, Ringsdorf H: Study of the micro-phase separation in LC-polymers with paired mesogens 373

Lambrigger M, Mayer J, Thomas RM, Tomka I: A numerical method for the evaluation of data on the kinetics of polymer crystallization 271
Laurent C, see Zhou SQ
Lee C, see Tsai H-B
Lee J-Y, Hall HK Jr.: Synthesis and radical polymerization of 1,1,2,2-tetracyanocyclopropylstyrene 471
Lee SY, see Goh SH
Liang H, see Song M
Liepins R, Benicewicz BC: Synthesis of rigid rod polymers. I. Diphenylthiazolothiazole pendant group 477
Lingelser JP, see Grubisic-Gallot Z
López F, see Contreras JM

Mädicke A, see Kuschel F
Magonov SN, Cantow H-J, Donnet J-B: Characterization of surfaces of carbon fibres by scanning tunneling microscopy 555
Majoros I, see Balogh L
Mano EB, Monteiro EEC, Mendes LC: Preparation of alkyl acrylate-acrylic acid copolymers by simultaneous hydrolysis and polymerization 497
Mantecon A, Mercier R, Bartholin M, Sillion B: Diethynyl terminated siloxane bases (bisazomethine Schiff base). Preparation and polymerization 439

Manuel G, see Zhou SQ
Martínez G, Mijangos C, Millán J: Stereospecificity of substitution on PVC. Kinetic results at low temperatures 233
Masuda T, see Tsuchihara K
Matsumoto A, see Otsu T
Mayer J, see Lambrigger M
Mays JW: Synthesis of "simple graft" poly(isoprene-g-styrene) by anionic polymerization 247
Mazerolles P, see Zhou SQ
McCartney TL, Piirma I: Preparation of a water soluble polyester surfactant and its use in the emulsion polymerization of styrene 367
McGrath JE, see Verma A
Mendes LC, see Mano EB
Mennen MG, Smit JAM: The second virial coefficient of polydisperse polymer samples in a good solvent 67
Mercier R, see Mantecon A
Mercier R, see Sauvage N
Migahed MD, Shaban AM, El-Khodary A, Hafiz HR: TSDC spectra in negatively corona charged ABS electrets 61
Mihailov M, see Terlemezyan L
Mijangos C, see Martínez G
Millán J, see Martínez G
Minoda M, Sawamoto M, Higashimura T: Sequence-regulated oligomers and polymers by living cationic polymerization. 1. Synthesis of sequence-regulated trimers and tetramers of functional vinyl ethers 133
Misyan A, Ober CK: Liquid crystal copolyethers with mixed mesogenic units and flexible spacers 535
Mizutani F, see Kunugi S
Monteiro EEC, see Mano EB
Monthéard J-P, Raihane M: Preparations of methoxymethyl α methylstyrenes and 4-(2-chloroethyl) α methylstyrene. Preliminary studies of their cationic polymerizations and copolymerizations 265
Monthéard J-P, Vergnaud J-M, Kolli M: Hydrolyses of polymeric Schiff bases in acidic medium 331
Monthéard J-P, see Guyot A
Morcellet J, see Janus L
Morcellet M, see Janus L
Moreno P, see Contreras JM
Mori S, see Otsu T
Muramatsu H, see Tsuchihara K

Nakashima T, see Kunugi S
Nedbal J, Štula M, Ilavský M: Phase transition in swollen gels. 14. The DC conductivity of swollen poly (N,N-diethylacrylamide) gels in the collapse region 89
Nemes S, Si J, Kennedy JP: ^{13}C NMR chemical shifts of polyisobutylene end groups and related model compounds 597
Ng SC, Hosea TJC, Goh SH: A Brillouin scattering study of a polymer blend showing upper critical solution temperature behaviour 609
Nielsen A, see Verma A
Nishida M, see Tsuchihara K
Nishide H, see Ohyanagi M
Nishide H, see Yoshioka N
Nishimura T, see Hatada K

Ober CK, see Misyan A
Ogawa T, see Hwang JS

Ohkubo J, Inagaki N: Influences of the substrate temperature on the films plasma-polymerized at the low system pressure 199
Ohyanagi M, Nishide H, Suenaga K, Tsuchida E: Oxygen-permselectivity in new type polyorganosiloxanes with carboxyl group on the side chain 637
Okubo T: Adsorption of synthetic polyelectrolytes on colloidal spheres 211
Okui N: Maximum crystal growth rate and its corresponding state 111
Otsu T, Matsumoto A, Kubota T, Mori S: Reactivity in radical polymerization of N-substituted maleimides and thermal stability of the resulting polymers 43

Pang D, see Wang J
Park YT, see Zhou SQ
Peniche-Covas, see Argüelles-Monal W
Penning JP, Werff H van der, Roukema M,
Pennings AJ: On the theoretical strength of gelspun/hotdrawn ultra-high molecular weight polyethylene fibres 347
Pennings AJ, Roukema M, Van der Veen A: Further studies on the high-speed gel-spinning of ultra-high molecular weight polyethylene 353
Pennings AJ, see Penning JP
Percec V, Epple U, Wang JH, Schneider HA: The influence of total monomer concentration on the "reactivity" of ω-(p-vinylbenzyl ether) macromonomers of poly(2,6-dimethyl-1,4-phenylene oxide) determined from radical copolymerization experiments with butyl methacrylate 19
Percec V, Hsu C-S: Synthesis and mesomorphic behavior of poly(methylsiloxane)s and poly(methylsiloxane-co-dimethylsiloxane)s containing oligooxyethylene spacers and mesogenic side groups 463
Percec V, see Pugh C
Percec V, Tsuda Y: Liquid crystalline polyethers based on conformational isomerism 9. Synthesis and determination of the virtual mesophases of polyethers based on 1-(4-hydroxyphenyl)-2-(2-methyl-4-hydroxyphenyl) ethane with 1,15-dibromopentadecane and 1,16-dibromohexadecane 225
Perich IM, see Rivas BL
Pfitzmann A, see Fedtke M
Piirma I, see McCartney TL
Po R, see Chiellini E
Pooley SA, see Rivas BL
Pugh C, Percec V: Phase transfer Pd(0) catalyzed polymerization reactions. 4. Thermal characterization of 1,4-bis [2-(4',4''-dialkoxyaryl)ethynyl]benzene derivatives and their electron-donor-acceptor complexes with 177

Rabagliati FM, see Contreras JM
Rahman MZAb, see Alimuniar A
Raihane M, see Monthéard J-P
Raj RG, see Kokta BV
Rehse H, Ritter H: The 4-methacrylamido-2-methyl-2-butoxy-carbonyl-function as polymerizable amino-protecting group 1
Revillon A, see Guyot A
Rhim MS, Kim SC: Phase transition, structure/properties of poly(p-phenylene terephthalamide) films post-polymerized by pyridine in NMP/$CaCl_2$ solvent 287
Riffle JS, see Verma A
Ringsdorf H, see Kuschel F
Ritter H, see Rehse H

Rivas BL, Canessa GS, Pooley SA: Copolymerization via zwitterion. 18. N-Phenylmaleimide with ethyleneimine 171
Rivas BL, Klattenhoff D, Perich IM: Kinetics of uranium sorption from acidic sulphate solutions onto crosslinked poly-ethyleneimine based resins. 10 219
Rivas BL, Klattenhoff D, Perich IM: Kinetics of uranium sorption from acidic sulphate solutions onto crosslinked poly-ethyleneimine based resins. 11 315
Rivas BL, Zapata M: Cationic polymerization of 2,4,4-trimethyl-2-oxazoline 571
Roukema M, see Penning JP
Roukema M, see Pennings AJ

Saam JC, see Baile M
Saito T, see Hatada K
Salovey R, see Kim GY
Sasia P, see Katime IA
Sauvage N, Mercier R, Sillion B: 2,2 bis (4-ethynylphenyl) hexafluoropropane. Synthesis and preliminary study of thermal polymerization 7
Sawamoto M, see Ishihama Y
Sawamoto M, see Minoda M
Schneider HA, see Percec V
Shaban AM, see Migahed MD
Si J, see Nemes S
Sillion B, see Mantecon A
Sillion B, see Sauvage N
Siow KS, see Goh SH
Smit JAM, see Mennen MG
Song M, Liang H, Jiang B: Phase behaviour and phase separation in polymer blends of poly(methyl methacrylate) with poly(vinyl acetate) 615
Stadler R, see Abetz V
Štula M, see Nedbal J
Suenaga K, see Ohyanagi M

Takesako S, see Kohjiya S
Takeuchi M, see Hatada K
Tamami B, Goudarzian N: Effect of the polymer structure and tacticity on the oxidizing ability of polyvinylpyridinium dichromate 295
Tbal H, see Janus L
Terawaki Y, see Kitayama T
Terlemezyan L, Mihailov M, Ivanova B: Study of polymer blends of poly(acetylene) with poly(methyl methacrylate) and methyl methacrylate-butadiene-styrene copolymer 95
Thomas RM, see Lambrigger M
Tomka I, see Lambrigger M
Tran van Hoang, see Bartholin M
Tsai H-B, Lee C, Chang N-S, Hu AT: Thermotropic copolyesters modified with nonmesogenic rigid groups 647
Tsuchida E, see Ohyanagi M
Tsuchida E, see Yoshioka N
Tsuchihara K, Masuda T, Higashimura T, Nishida M, Muramatsu H: Polymerization of [2,5-bis(trifluoromethyl)phenyl] acetylene and polymer properties 505
Tsuda Y, see Percec V

Ute K, see Hatada K
Utschick H, see Kuschel F

Van der Veen A, see Pennings AJ
Van Meirvenne D, Haucourt N, Goethals EJ: A new initiating system for the "living" polymerization of vinyl ethers leading to hydroxy-terminated polymers 185
Vasile C, Costea E: Compensation effects in the thermoxidative decomposition of polymers 431
Vergnaud J-M, see Monthéard J-P
Verma A, Nielsen A, McGrath JE, Riffle JS: Preparation of ester terminated poly(alkyl vinyl ether) oligomers and block copolymers using a combination of living cationic and group transfer polymerization 563
Vernekar SP, see Avadhani CV

Wadgaonkar PP, see Avadhani CV
Wakabayashi S, see Kunugi S
Wang J, Pang D, Huang B: On the inter- and intramolecular branching distribution in ethylene/α-olefin copolymers 127
Wang JH, see Percec V
Weber WP, see Zhou SQ
Werff H van der, see Penning JP
Woo SI, see Kim I

Xiao H, see Jiang M

Yamashita S, see Alimuniar A
Yamashita S, see Kohjiya S
Yarmo MA, see Alimuniar A
Yoshioka N, Nishide H, Inagaki K, Tsuchida E: Electrical conductive and magnetic properties of conjugated tetrathiolate nickel polymers 631
Yu T, see Jiang M

Zapata M, see Rivas BL
Zhou SQ, Park YT, Manuel G, Weber WP: Anionic ring opening polymerization of 1-silacyclopent-3-ene. Characterization of poly(1-sila-*cis*-pent-3-ene) by ^{1}H, ^{13}C, and ^{29}Si NMR spectroscopy 491
Zhou SQ, Weber WP, Mazerolles P, Laurent C: Synthesis and anionic ring opening polymerization of 1-germa-1,1-dimethyl [3,4,*c*]thienocyclopentane 583
Zsuga M, Balogh L, Kelen T, Borbély J: Investigation of 1,3,5-tris (2-metoxypropane)benzene/BCl_3 initiated living isobutylene polymerization by C^{13} and B^{11} NMR spectroscopy 335

Subject Index Volume 23 (1990)

Acrylamide 497
Acrylic esters 497
Acrylonitrile 323
Acrylonitrile-butadiene-styrene, electrets 61
Active centers, formation and decay 513
Ageing, physical 83
Alkyl acrylate-acrylic acid copolymers 497
Alkyl vinyl ethers 149
4-Amino-2-methyl-2-butanol 1
Amino-protecting groups 1
Amorphous phase structure, solid polymers 605
Anisotropic gel phase 623
Aramid fiber 287
Aromatic polyamides 623
Aryl acetylenes, terminal 7
"Attached proton test" 597
Avrami's model 271

Batteries 299
-, solid-state 411
Beads, conducting composite polymer 543
2-(Benzoyloxy)ethyl vinyl ether 133
Benzoyloxy radical, electrophilic 323
Beta-methyl groups 323
Biocompatibility 299
Bisazomethine Schiff base 439
N,N'-Bis(carboxymehtyl)dithiooxamide 51
1,4-Bis/2-(4',4''-dialkoxyaryl) ethynyl/benzene 177
1,4-Bis/2-(4',4''-diheptyloxyphenyl) ethynyl/benzene 177
Bis-4 ethynylbenziminopropyl--hexamethyldisiloxane 439
2,2-Bis(4-ethynylphenyl)hexafluoropropane 7
/2,5-Bis(trifluoromethyl) phenyl/acetylene 505
Blends 205, 279, 609, 615
-, electroactive 95
-, immiscible 205
-, miscible 205
Block copolymers 149, 247, 389
Block polymers 133
Branch distribution 127
Brillouin scattering 609
Butyl methacrylate, radical reactivity ratio 19
n-Butyl vinyl ether 133

Carbocationic polymerization, living 335
Carbogermanium polymer 583
Carbon fibres 555
--, surfaces of 555
Carboxymehtyl cellulose 307
Catalyst components 513, 519
Catalysts, $Mg(OEt)_2$/benzoyl chloride/$TiCl_4$ 35

Cationic polymerization, direct monitoring 75
Chain probability distribution function 529
Charge density patterns 555
Charge transfer complexes 403
Chirality 397
Chiral liquid-crystalline polymers 397
Chitin 307
Chitosan/carboxymethyl cellulose 307
p-Chloranil 177
4-Chloro-alpha-methyl styrene 265
1-Chloro-2,3-epoxypropane 219
4-(2-Chloroethyl)-alpha-methylstyrene 265
13-C NMR spectroscopy, high resolution 597
Colloidal spheres 211
Compatibility 103
Conducting polymers 543
Conductivity 75, 89, 403, 411
-, electrical 631
-, ionic 299
Conductors, silver ion 411
Conformational isomerism 225
Continuously-purged copolymerization 191
Controllable intermolecular hydrogen bonding 103
Coordination polymers 51
Copolyesters 647
Copolyethers 225
-, liquid crystal 535
Copolymerization, continuously-purged 191
-, stopped-flow 191
Copolymerization via zwitterion 171
Copolysiloxanes 373
Copper ore leaches, uranium recovery 219
Corona charging technique 61
Critical solution temperature 609
Crotononitrile 323
Crystal growth rate, maximum 111
Crystallization 271
Crystallization theory 111

DC conductivity 89
Decomposition reaction, compensation effect 431
Diacetylenes, propagating radicals 239
Diacetylenic compound 7
Dialkyl fumarates 43
1,15-Dibromopentadecane 225
1,16-Dibromohexadecane 225
Dichlorodicyanoquinone 583
Dichlorophenylphosphine 230
Dichroism, linear IR 447
Dicyandiamide 381
N,N-Diethylacrylamide 89
Diisocyanates, aliphatic 341
-, imide-containing 163
Dimethyl 5-sulfoisophthalate 367
Dimines, polymeric 331
Diols, polycondensation 251
1,4-Dioxane 141
1,3-Dioxolane 185

Diphenylthiazolothiazole 477
Diphenylthiazolothiazole pendant group 477
Diphenylzinc-cocatalyst systems 483
Dithiooxamide 51
Drug delivery system 331

EDA complexes with p-chloranil, mesomorphic 177
Electret 61
Electrical conductivity 95, 631
Electrolytes, macromolecular 307
-, solid 411
Electron-donor-acceptor (EDA) complexes 177
Electrothermography 61
Enthalpy relaxation 83
Enzyme electrode 57
Enzymes 1, 57
EPDM rubber, 129-Xe NMR 605
Epichlorohydrin polymerization 483
Epoxies, curing 381
Epoxy-dicyandiamide systems 381
Epoxy resins, curing 381
-, dicyandiamide 381
ESR 419
Ethyl acrylates 497
Ethylene/1-butene 589
Ethylene/1-butene copolymers 589
Ethylene/alpha-olefin copolymers 127
Ethylene-propylene copolymerization 191
Ethylene reactivity 191
Ethyl 2-(vinyloxy)ethyl malonate 133
Ethynyl end-capped oligomers 7
Ethynyl groups, polymerization 439

Fibers, high-strength 353
-, strength 347
Films 287
-, plasma-polymerized 199
-, solution-cast 471
Fineman-Ross method 13
Fluorine-containing polymers 505
Functional site mobility 419

Gastric liquid, synthetic 331
Gelspun/hotdrawn ultra-high molecular - weight polyethylene 347
1-Germa-1,1-dimethyl[3,4,c]thienocyclopentane 583
1-Germa-1,1-dimethyl[3,4,c]thienopentane 583
Germanium, polymers containing 583
Germylenes 583
Glucose oxidase electrode 57
Glycidil ethers 381
Gold-plated polyester cloth 57
Graft copolymers 247
Graft site 247

p-Halostyrenes 257
1,6-Hexamethylene diisocyanate 341
High-strength fibers 347, 353-
Hydrogen bonding, intermolecular 103
Hydrogen iodide/zinc iodide 149
1-(4-Hydroxyphenyl)-2-(methyl-4-hydroxyphenyl)ethane 225
Hydroxyl-containing polymers 205
Hydroxy-terminated polymers, vinyl ethers 185

Infrared linear dichroism spectroscopy 447
Interpenetrating polymer networks 103, 141
Ionogenic equilibria 75
Irradiation, ultrasonic 27
Isobutene 361
Isobutylene 75
-, ring expansion polymerization 525
-, γ-tolyl-γ-valerolactone/BCl_3 525
Isobutylene polymerization, living 335
Isomerism, conformational 225
Isoprene 247

Kevlar 287
Kinetics of crystallization 271

Linear infrared dichroism 447
Linear low density polyethylene 127
Liquid crystalline polymers, thermotropic 83
Lithium perchlorate 299
Living cationic polymerization 149
Lower critical solution temperature 609, 615

Macromonomers 19
Macroporous copolymers 13
Maleic anhydride/1,3-propylene glycol 577
Maleimides, N-substituted 43
Mechanical degradation 27
Mechanochemical block copolymerization 27
Membranes, polymer 637
Mesomorphism, smectic 463
Mesophases, nematic LC 535
Metathesis catalysts 119
Methacrylate-type macromonomer 133
4-Methacrylamido-2-methyl-2-butoxy-carbonyl function 1
4-Methacrylamido-2-methyl-2-butyl--N-p-chlorophenylcarbamate 1
Methacrylic acids 497
Methacrylic monomers 497
Methanesulfonic acid/tin tetrachloride 361
Methoxymethyl-alpha-methylstyrenes 265
p-Methoxystyrene vinyl ethers 149
Methyl acrylate 323
Methyl crotonate 323
Methyl dichloroboronite 335
Methyl methacrylate 239, 323, 497, 549
--, stereoregular oligomers 157
Methyl methacrylate-butadiene-styrene copolymer 95
beta-Methylstyrene 323
Methyl tiglate 323
1,3,5-tris(2-Metoxypropane)benzene/BCl_3 335
$Mg(OEt)_2$/benzoyl chloride/$TiCl_4$ catalysts 35
Micro-phase separation, LC-polymers 373
Miscibility 205, 247, 643
-, polymer blends 103
MMA oligomers, stereoisomers 157
Model filled polymers 543
Monomers, reactivities 323
Multipolymer systems 141

Natural rubber, metathesis degradation 119
Network formation, rate of 141
Nitroxide radical probes, stable 419
Nitroxy probes mobility 419
NMR triad sequence distributions 583
Nonmesogenic rigid groups 647

Olefin polymerization catalysts 35
Oligomers, sequence-regulated 133
Oligooxyethylene segments 463
On-line GPC/NMR technique 549
Organoaluminium compounds 513, 519
2-Oxazolines 571
Oxidizing reagents 295
Oxygen-permselectivity 637

Pd(0) catalysed polymerization 177
Peptide syntheses 1
Permselectivity 637
Phase behaviour 615
Phase transfer 177
Phenylacetylene 505
N-Phenylmaleimide/ethyleneimine 171
Phosphoranyl radical 239
Photoelastic modulator 447
Physical ageing 83
PIBs, end-functionalized 597
-, terminally functional 597
Piezoelectric effect 471
Plasma polymerization 199
Plasma-polymerized films 199
PMMA, isotactic 279, 549
-, tacticity 549
-, thermooxidative decomposition 431
Polyacetals 251
Polyacetylene, electrical properties 95
Polyacetylene blends 95
Polyacetylene solid-state batteries 411
Poly(N-acetylethyleneimine)s 571
Polyamides 163
Polycarbosilanes 491
Polyacrylonitrile fibres 555
Poly(alkyl methacrylate)s, miscibility 643
Polyamide, aromatic 623
Poly(1-bicyclobutanecarbonitrile) 471
Polybutadienes/isocyanate, hydroxylated 341
Poly(butadiene-b-4-vinylpyridine) 403
Poly 4-(2-chloroethyl)alpha methylstyrene 265
Poly(p-chlorostyrene)-b-polytetrahydrofuran 259
Polycondensations, diols 251
Poly(N,N-diethylacrylamide) gels 89
Poly(2,6-dimethyl-1,4-phenylene oxide) 19
Poly(dimethylsilane) 491
Poly(dimethylsiloxane) membrane 637
Polydisperse polymer 67
Polyelectrolyte complex 307
Polyelectrolytes, colloidal spheres 211
-, synthetic 211
Polyesterification, aqueous emulsion 251
Polyesters 251
-, new chiral 397
-, unsaturated 577
-, unsaturated linear 577
Polyester surfactant, water soluble 367
Polyether urethane 299
Polyethers, liquid crystalline 225
Polyethylene fibres 347
Polyethylenes 127
-, nematic virtual mesophase 225
-, ultra-high molecular weight 353
Poly(ethyleneimine) 571
Polyethyleneimine-based resins, crosslinked 219, 315
Poly(ethyl metharcrylate) 205
Poly(ethyl methacrylate-b-deuterated methyl methacrylate) 389
Polygermanes 583
Polyhydrocarbons, hydroxyl-terminated 341
Poly(p-hydroxy-benzoic acid-co-ethylene terephthalate) 83
Poly(hydroxyethyl methacrylate) 205
Poly(imide-urethane)s 163
Polyisobutylene end groups, 13-C NMR 597
Polyisobutylenes, telechelic 335
Poly(isoprene-g-styrene), "simple graft" 247
Polymer-anchored electron mediator 57
Polymer beads, conducting 543
Polymer electrets 61
Polymeric amines 13
Poly(methacrylate)/poly(vinyl acetate) 615
Polymethacrylates, stereocomplex 279
-, syndiotactic 279
Poly methoxymethyl-alpha-methylstyrene 265
Poly(methoxymethyl methacrylate) 643
Polymethylhydrosiloxanes 491
Poly(methylmethacrylate) 431, 643
Poly(methylsiloxane-co-dimethylsiloxanes)s 463
Poly(methylsiloxanes)s 463
Poly[(methylsilylene)methylene] 491
Poly(methylthiomethyl methacrylate) 643
Polyorganosiloxanes 637
Polyoxyethylene 299, 367
Poly(oxytetramethylene) 299
Poly(p-phenylene terephthalamide) 477
Poly(p-phenylene terephthalamide) films 287, 623
Polyphenylene vinylene beads 543
Poly(N-phenyl maleimide) 43
Polypropylene 513, 519
Poly(n-propyl methacrylate) 205
-, miscibility 643
Poly(1-sila-cis-pent-3-ene) 491
Polysiloxanes, dimesogenic side-group 373
Polystyrene 205
-, chloromethylated 265
Poly(styrene-co-allyl alcohol) 609
Poly(styrene-b-dimethylsiloxane) diblock 389
Poly(styrene-b-methyl methacrylate) 389
Polystyrene beads 543
Polystyrene/polyurethane 141
Poly(substituted methylene)s 43
Polytetramethylene glycol 163
Polyurethane-polystyrene 141
Polyurethanes 341
Polyurethanes containing imide rings 163
Polyurethanes/lithium perchlorate complex 299
Polyvinyl chloride 233, 425
Poly(vinyl chloride), mechanochemical block copolymerization 27
Poly(vinyl chloride/methyl methacrylate) 27
Polyvinylpyridines 295
Polyvinylpyridinium dichromate 295
Poly(N-vinyl pyrrolidone) 205

Porogenous agent 13
PPD(para-phenylene diamine) 287
Preferential sorption coefficient, vinyl polymers 455
Propylene, polymerization 35
Propylene polymerization 513, 519
-, rate of 519
Propylene reactivity 191
Pseude-crown-ethers 463
PVC, stabilization by metal soaps 425
-, stereospecificity of substitution 233
-, thermal decomposition 431
Pyrolytic graphite 555

Radical reactivity ratios 19
Rigid rod polymers 477
Rodlike polymers 477
Rodlike segment 623
Rubber elasticity, localization model 529
--, mena-field model 529

SBS block copolymer 447
Scanning tunneling microscopy 555
Schiff bases, hydrolyses of polymeric 331
Sebacic acid 647
Second virial coefficient 67
SFC, packed column 157
1-Silicacyclopent-3-ene 491
Silicon, main chain 583
Silicon carbide fibers 491
Siloxane bases, diethynyl terminated 439
"Simple graft" copolymer 247
Size exclusion chromatography 389
Sodium benzenethiolate 233
Solid polymers, amorphous region 605
Spacer concept 463
Spacers, crosslink density 419
-, flexible 463, 535
-, nonamethylene 535
-, oligooxyethylenic 463
Stearates 425
Stereocomplex, crystalline 279
Stoichiometric complex 307
Stopped-flow copolymerization 191
Stopped-flow polymerization 191
Styrene 247, 323
-, emulsion polymerization 367
-, living cationic polymerization 361
-, substituted 265, 471
Styrene/allyl alcohol copolymers 205
Supercritical fluid chromatography 157
Surface charge density distribution 555
Surfactant, polyester 367
Swollen gels, phase transition 89

Telechelic polyisobutylenes, chlorine-terminated 335
4,4'-(Terephthalcyldioxy)dibenzoyl 397
Tetra-n-butylammonium chloride 361
1,1,2,2-Tetracyanocyclopropylstyrene 471
Tetracyanoquinodimethane 403
Tetrafluoroethylene 199
Tetrathiolate nickel polymers 631
---, conjugated 631
Thermally resistant polymeric complexes 51
Thermodynamics of polymer solutions 67
Thermooxidative decomposition, compensation effects 431
Thermotropic liquid crystalline polymers 83
Thermotropic polyesters 647
Thermotropic polymers 535
alpha-$TiCl_3$ 513, 519
TPC(terephthaloyl chloride) 287
Trichlorobenzenes 425
/o-(Trifluoromethyl)phenyl/acetylene 505
2,4,4-Trimethyl-2-oxazoline 571
-, cationic polymerization 571
1-Trimethylsiloxy-4-iodo-3-oxabutane 185
Trimethylsilyl iodide 185
1,3,5-Tris(2-metoxypropane)benzene/BCl_3 335
TSDC spectra 61

UHMWPE 353
UHMWPE fibres, gelspun/hotdrawn 347
Ultra-high molecular weight polyethylene, high-speed gel-spinning 353
Upper critical solution temperature 609
Uranium, copper ore leaches 315
-, hydrometallurgical recovery 315
Uranium ore pulps 219
Uranium recovery 219
Uranium sorption 219, 315
Urethaneurea 299

Vinyl acetate 471
ω-(p-Vinylbenzyl ether) macromonomer 19
N-Vinyl-t-butylcarbamate, radical copolymerization 13
Vinyl ether oligomers, sequence-regulated 133
Vinyl ethers 149, 361
--, functional 133
--, living polymerization 185
Vinylidene cyanide 471
2-(Vinyloxy)ethyl methacrylate 133
Vinyl polymers, preferential adsorption behaviour 455
Virial coefficient 67

Winders, high-speed 353

129-Xe NMR 605

Zigzag polymer 623
Zinc iodide 149
Zn(II) and N,N'-bis(carboxymethyl) dithiooxamide 51

Indexed in *Current Contents*